

Resources and References Handout

Common Acquired Hospital Complications of the Older Adult

Hyperlinks

<http://geriatricsonline.org/ProductAbstract/american-geriatrics-society-updated-beers-criteria-for-potentially-inappropriate-medication-use-in-older-adults/CL001> Accessed November 23, 2016

www.pogoe.org Accessed November 23, 2016

www.pogoe.org/productt/20875 Accessed November 23, 2016

www.npuap.org Accessed November 23, 2016

[www.hopkinsmedicine.org/cec/series/wound_care.html#wound assessment](http://www.hopkinsmedicine.org/cec/series/wound_care.html#wound_assessment)
Accessed November 23, 2016

www.mayoclinic.com/health/bedsores/DS00570/DSECTION=treatments-and-drugs Accessed November 23, 2016

<http://www.rwjf.org/en/library/research/2013/02/the-revolving-door--a-report-on-u-s--hospital-readmissions.html> Accessed November 23, 2016

References

Alekna V, Stukas R, Tamulaityte-Morozoviene I, Surkiene G, & Tamulaitiene M. (2015). Self-reported consequences and healthcare costs of falls among elderly women. *Medicina (Kaunas)*, 51(1), 57-62.

doi:10.1016/j.medic.2015.01.008

American Geriatrics Society (2015). American Geriatrics Society Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults: Clinical Guidelines. <http://geriatricsonline.org/ProductAbstract/american-geriatrics-society-updated-beers-criteria-for-potentially-inappropriate-medication-use-in-older-adults/CL001>. Accessed September 9, 2016

American Geriatrics Society (AGS) and British Geriatrics (BGS) Society, Panel on Prevention of Falls in Older Persons. (2011). Summary of the Updated American Geriatrics Society/British Geriatrics Society clinical practice guideline for prevention of falls in older persons. *J Am Geriatr Soc*, 59(1), 148-157.

doi:10.1111/j.1532-5415.2010.03234.x (also available at http://www.americangeriatrics.org/health_care_professionals/clinical_practice/clinical_guidelines_recommendations/prevention_of_falls_summary_of_recommendations). Accessed July 6, 2016.

Barr JO, & Kaufman TL. (2014). Iatrogenesis in older individuals. In: TL Kauffman, RW Scott, JO Barr, ML Moran (Eds.). *A comprehensive guide to geriatric rehabilitation* (pp. 418-422). New York, NY: Elsevier.

Barry PJ, Gallaher O, Ryan C, O'Mahoney D. (2007). START (screening tool to alert doctors to the right treatment) – an evidence-based screening tool to detect prescribing omissions in elderly patients. *Age and Ageing*. 36(6) 632-638. <http://ageing.oxfordjournals.org/content/36/6/632.abstract>. Accessed September 9, 2016

Bergstrom N, Braden BJ, Laguzza A, & Holman V. (1987). The Braden Scale for Predicting Pressure Sore Risk. *Nurs Res*, 36(4), 205-210.

Bo M, Fonte G, Pivaro F, Bonetto M, Comi C, Giorgis V, Marchese L, Isaia G, Maggiani G, Furno E, Falcone Y, & Isaia GC. (2016). Prevalence of and factors associated with prolonged length of stay in older hospitalized medical patients. *Geriatr Gerontol Int*, 16(3), 314-321. doi:10.1111/ggi.12471

Bowman EH, & Flood KL. (2015). Care transitions intervention and other non-nursing home transitions models. In ML Malone, EA Capezuti, RM Palmer (eds.), *Geriatrics models of care: Bringing 'best practice' to an aging America*, Geneva: Springer.

Creditor MC. (1993). Hazards of hospitalization of the elderly. *Ann Intern Med*, 118(3), 219-223.

Fox MT, Sidani S, Persaud M, Tregunno D, Maimets I, Brooks D, & O'Brien K. (2013). Acute care for elders: Components of acute geriatric unit care: Systematic descriptive review. *J Am Geriatr Soc*, 61(6), 939–946. doi: 10.1111/jgs.12282.

Gallagher P, Ryan C, Byrne S, Kennedy J, O'Mahony D. (2008). STOPP (Screening Tool of Older Person's Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus Validation. *Int J Clin Pharmacol*

Ther, 46(2): 72-83. <http://www.ncbi.nlm.nih.gov/pubmed/18218287>. Accessed on September 9, 2016.

Iatrogenesis. (2013). *Tabers's cyclopedic medical dictionary* (22nd ed.). Philadelphia, PA: F.A. Davis.

Inouye SK. (2006). Delirium in older persons. *N Engl J Med*, 354(11), 1157-1165.

Inouye SK, Westendorp RG, Saczynski JS. (2014). Delirium in elderly people. *Lancet*, 383(9920), 911-922. doi:10.1016/s0140-6736(13)60688-1
Institute for Healthcare Improvement. (2015). How can the teach-back method improve outcomes? Retrieved from:

<http://www.ihl.org/education/IHIOpenSchool/resources/Pages/Activities/AACHTeachBack.aspx>. Accessed August 24, 2016

Jencks SF, Williams MV, & Coleman EA. (2009). Rehospitalizations among patients in the Medicare fee-for-service program. *N Engl J Med*, 360(14), 1418–28. doi:10.1056/NEJMsao803563.

Jyrkka J, Enlund H, Lavikainen P, Sulkava R, & Hartikainen S. (2011). Association of polypharmacy with nutritional status, functional ability and cognitive capacity over a three-year period in an elderly population. *Pharmacoepidemiol Drug Saf*, 20(5), 514-522. doi:10.1002/pds.2116

Luque I, Rojano, X, Sánchez Ferrin P, Salvà, A. (2016). Hospital complications in the elderly. *Medicina Clínica (English Edition)*. 12(146): 550-554. doi: 10.1016/j.medcli.2015.12.015. Accessed September 16, 2016

Marcantonio ER, Kiely DK, Simon SE, John Orav E, Jones RN, Murphy KM, & Bergmann MA. (2005). Outcomes of older people admitted to postacute facilities with delirium. *J Am Geriatr Soc*, 53(6), 963-969. doi:10.1111/j.1532-5415.2005.53305.x

Meagher DJ, Morandi A, Inouye SK, Ely W, Adamis D, Maclullich AJ, Rudolph JL, Neufeld K, Leonard M, Bellelli G, Davis D, Teodorczuk A, Kreisel S, Thomas C, Hasemann W, Timmons S, O'Regan N, Grover S, Jabbar F, Cullen W, Dunne C, Kamholz B, Van Munster BC, De Rooij SE, De Jonghe J, & Trzepacz PT. (2014). Concordance between DSM-IV and DSM-5 criteria for delirium diagnosis

in a pooled database of 768 prospectively evaluated patients using the delirium rating scale-revised-98. *BMC Med*, 12, 164. doi:10.1186/s12916-014-0164-8

Moore AR, & O’Keefe ST. (1999). Drug-induced cognitive impairment in the elderly. *Drugs Aging*, 15, 15–28.

National Quality Forum. (2011). “Serious Reportable Events in Healthcare -- 2011 Update: A Consensus Report. Washington DC: NQF. www.qualityforum.org. Accessed September 9, 2016.

Nipp R, Sloane R, Rao AV, Schmader KE, & Cohen HJ. (2012). Role of pain medications, consultants, and other services in improved pain control of elderly adults with cancer in geriatric evaluation and management units. *J Am Geriatr Soc*, 60(10), 1912-1917 6p. doi:10.1111/j.1532-5415.2012.04143.x

Oliver D, Britton M, Seed P, Martin FC, & Hopper AH. (1997). Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: case-control and cohort studies. *BMJ*, 315(7115), 1049-1053.

Reichardt LA, Aarden JJ, van Seben R, van der Schaaf M, Engelbert RH, Bosch JA, & Buurman BM. (2016). Unravelling the potential mechanisms behind hospitalization-associated disability in older patients; the Hospital-Associated Disability and impact on daily Life (Hospital-ADL) cohort study protocol. *BMC Geriatr*, 16(1), 59. doi:10.1186/s12877-016-0232-3

Robert Wood Johnson Foundation. (2013). *The revolving door: A report on U.S. hospital readmissions*. Retrieved from <http://www.rwjf.org/en/library/research/2013/02/the-revolving-door--a-report-on-u-s--hospital-readmissions.html>. Accessed August 24, 2016

Saczynski JS, Marcantonio ER, Quach L, Fong TG, Gross A, Inouye SK, & Jones RN. (2012). Cognitive trajectories after postoperative delirium. *N Engl J Med*, 367(1), 30-39. doi:10.1056/NEJMoa1112923

Saunders CB. (2015). Preventing secondary complications in trauma patients with implementation of a multidisciplinary mobilization team. *J Trauma Nurs*, 22(3), 170-175; quiz E173-174. doi:10.1097/jtn.000000000000127

Siddiqi N, House AO, & Holmes JD. (2006). Occurrence and outcome of delirium in medical in-patients: a systematic literature review. *Age Ageing*, 35(4), 350-364. doi:10.1093/ageing/aflo05

Stenholm S, Westerlund H, Head J, Hyde M, Kawachi I, Pentti J, Kivimaki M, & Vahtera J. (2015). Comorbidity and functional trajectories from midlife to old age: The Health and Retirement Study. *J Gerontol A Biol Sci Med Sci*, 70(3), 332-338. doi:10.1093/gerona/glu113

Stevens JA, Corso PS, Finkelstein EA, & Miller TR. (2006). The costs of fatal and non-fatal falls among older adults. *Inj Prev*, 12(5), 290-295. doi:10.1136/ip.2005.011015

Vincent GK, & Velkoff VA. (2010). *The next four decades, the older population in the United States: 2010 to 2050 (Current Population Reports, 25-1138)*. Retrieved from <https://www.census.gov/prod/2010pubs/p25-1138.pdf>. Accessed August 24, 2016

Weiss A, & Elixhauser A. (2014). *Overview of hospital stays in the United States, 2012*. HCUP Statistical Brief #180. Retrieved from <http://www.hcup-us.ahrq.gov/reports/statbriefs/sb180-Hospitalizations-United-States-2012.pdf>. Accessed August 24, 2016

Yue J, Hshieh T, & Inouye S. (2015). Hospital Elder Life Program (HELP) In M Malone, E Capezuti, R Palmer (Eds.), *Geriatrics models of care* (pp. 25-37). New York, NY: Springer.