

Resources and References Handout

Nutrition for the Older Adult

Hyperlinks

<http://www.healthcare.uiowa.edu/igec/tools/nutrition/determineNutrition.pdf>

Accessed April 10, 2017

<http://hnrca.tufts.edu/myplate/> Accessed April 10, 2017

<http://www.mna-elderly.com/publications/598.pdf> Accessed April 10, 2017

http://www.mna-elderly.com/user_guide.html Accessed April 10, 2017

References

Amaral TF, Matos LC, Tavares MM, Subtil A, Martins R, Nazare M, & Sousa Pereira N. (2007). The economic impact of disease-related malnutrition at hospital admission. *Clin Nutr*, 26(6), 778-784.

doi:10.1016/j.clnu.2007.08.002

Anderson JG, Rose KM, & Taylor AG. (2016). A descriptive study of the nutrition-related concerns of caregivers of persons with dementia. *Journal of Aging Research and Clinical Practice*, 5(1), 1-6. doi:5(1), 1-6. doi:

10.14283/jarcp.2016.88


Artaza-Artabe I, Saez-Lopez P, Sanchez-Hernandez N, Fernandez-Gutierrez N, & Malafarina V. (2016). The relationship between nutrition and frailty: effects of protein intake, nutritional supplementation, vitamin D and exercise on muscle metabolism in the elderly. A systematic review.

Maturitas. doi:10.1016/j.maturitas.2016.04.009


Azad N. (2002). Nutrition in the elderly. *Can J Diagnosis*, Mar, 83-93. Available at <http://www.stacommunications.com/journals/diagnosis/2002/03-March/083ElderlyNutrition.pdf> (Accessed September 12, 2016).

Banks M, Bauer J, Graves N, & Ash S. (2010). Malnutrition and pressure ulcer risk in adults in Australian health care facilities. *Nutrition*, 26(9), 896-901.

doi:10.1016/j.nut.2009.09.024



- Bauer J, Biolo G, Cederholm T, Cesari M, Cruz-Jentoft AJ, Morley JE, Phillips S, Sieber C, Stehle P, Teta D, Visvanathan R, Volpi E, & Boirie Y. (2013). Evidence-based recommendations for optimal dietary protein intake in older people: a position paper from the PROT-AGE Study Group. *J Am Med Dir Assoc*, *14*(8), 542-559. doi:10.1016/j.jamda.2013.05.021
- Bell CL, Lopez RP, Mahendra N, Tamai A, Davis J, Amella EJ, & Masaki K. (2016). Person-centered Feeding Care: A Protocol to Re-introduce Oral Feeding for Nursing Home Patients with Tube Feeding. *J Nutr Health Aging*, *20*(6), 621-627. doi:10.1007/s12603-016-0699-9
- Bingham SA, Gill C, Welch A, Day K, Cassidy A, Khaw KT, Sneyd MJ, Key TJ, Roe L, & Day NE. (1994). Comparison of dietary assessment methods in nutritional epidemiology: weighed records v. 24 h recalls, food-frequency questionnaires and estimated-diet records. *Br J Nutr*, *72*(4), 619-643.
- Bollwein J, Volkert D, Diekmann R, Kaiser MJ, Uter W, Vidal K, Sieber CC, & Bauer JM. (2013). Nutritional status according to the mini nutritional assessment (MNA(R)) and frailty in community dwelling older persons: a close relationship. *J Nutr Health Aging*, *17*(4), 351-356. doi:10.1007/s12603-013-0009-8
- Cereda E. (2012). Mini nutritional assessment. *Curr Opin Clin Nutr Metab Care*, *15*(1), 29-41. doi:10.1097/MCO.ob013e32834d7647
- Favaro-Moreira NC, Krausch-Hofmann S, Matthys C, Vereecken C, Vanhauwaert E, Declercq A, Bekkering GE, & Duyck J. (2016). Risk Factors for Malnutrition in Older Adults: A Systematic Review of the Literature Based on Longitudinal Data. *Adv Nutr*, *7*(3), 507-522. doi:10.3945/an.115.011254
- Finocchiaro D, & Hook J. (2015). Enteral nutritional support of the critically ill older adult. *Crit Care Nurs Q*, *38*(3), 253-258. doi:10.1097/cnq.000000000000068
- Groher ME, & Crary MA. (2015). *Dysphagia: clinical management in adults and children*. Maryland Heights, MO: Elsevier.



- Guigoz Y, Vellas B, & Garry PJ. (1996). Assessing the nutritional status of the elderly: The Mini Nutritional Assessment as part of the geriatric evaluation. *Nutr Rev*, 54(1 Pt 2), S59-65.
- Kaiser MJ, Bauer JM, Ramsch C, Uter W, Guigoz Y, Cederholm T, Thomas DR, Anthony PS, Charlton KE, Maggio M, Tsai AC, Vellas B, & Sieber CC. (2010). Frequency of malnutrition in older adults: a multinational perspective using the mini nutritional assessment. *J Am Geriatr Soc*, 58(9), 1734-1738. doi:10.1111/j.1532-5415.2010.03016.x
- MacEntee M, Müller F, & Wyatt C. (2011). *Oral healthcare and the frail elder: a clinical perspective*. London: Wiley-Blackwell.
- McPhee S, & Papadakis M. (2011). *Current medical diagnosis & treatment* New York, NY: McGraw-Hill.
- Morley JE. (2010). Nutrition and the brain. *Clin Geriatr Med*, 26(1), 89-98. doi:10.1016/j.cger.2009.11.005
- Morley JE, & Silver AJ. (1995). Nutritional issues in nursing home care. *Ann Intern Med*, 123(11), 850-859.
- Morley JE, Argiles JM, Evans WJ, Bhasin S, Cella D, Deutz NE, Doehner W, Fearon KC, Ferrucci L, Hellerstein MK, Kalantar-Zadeh K, Lochs H, MacDonald N, Mulligan K, Muscaritoli M, Ponikowski P, Posthauer ME, Rossi Fanelli F, Schambelan M, Schols AM, Schuster MW, & Anker SD. (2010). Nutritional recommendations for the management of sarcopenia. *J Am Med Dir Assoc*, 11(6), 391-396. doi:10.1016/j.jamda.2010.04.014
- Nestle Nutrition Institute. (2017). *MNA Mini Nutritional Assessment*. Retrieved from http://www.mna-elderly.com/geriatric_assessment.html. Accessed July 15, 2016
- National Cancer Institute. (2017). *Diet History Questionnaire II and Canadian Diet History Questionnaire II (C-DHQII)*. Retrieved from <https://epi.grants.cancer.gov/dhq2/>. Accessed April 20, 2017
- National Collaborating Centre for Acute Care. (2006). Nutrition support in adults: oral nutrition support, enteral tube feeding and parenteral nutrition. Retrieved from www.rcseng.ac.uk. Accessed April 20, 2017

- Palecek EJ, Teno JM, Casarett DJ, Hanson LC, Rhodes RL, & Mitchell SL. (2010). Comfort feeding only: a proposal to bring clarity to decision-making regarding difficulty with eating for persons with advanced dementia. *J Am Geriatr Soc*, 58(3), 580-584. doi:10.1111/j.1532-5415.2010.02740.x
- Robbins LJ. (1989). Evaluation of weight loss in the elderly. *Geriatrics*, 44(4), 31-34, 37.
- Rullier L, Lagarde A, Bouisson J, Bergua V, & Barberger-Gateau P. (2013). Nutritional status of community-dwelling older people with dementia: associations with individual and family caregivers' characteristics. *Int J Geriatr Psychiatry*, 28(6), 580-588. doi:10.1002/gps.3862
- Soto ME, Secher M, Gillette-Guyonnet S, Abellan van Kan G, Andrieu S, Nourhashemi F, Rolland Y, & Vellas B. (2012). Weight loss and rapid cognitive decline in community-dwelling patients with Alzheimer's disease. *J Alzheimers Dis*, 28(3), 647-654. doi:10.3233/jad-2011-110713
- Thomas DR, Ashmen W, Morley JE, & Evans WJ. (2000). Nutritional management in long-term care: development of a clinical guideline. Council for Nutritional Strategies in Long-Term Care. *J Gerontol A Biol Sci Med Sci*, 55(12), M725-734.
- Tufts University. (2017). *MyPlate For Older Adults*. Retrieved from <http://hnrca.tufts.edu/myplate>. Accessed March 30, 2017.
- Volkert D, Chourdakis M, Faxen-Irving G, Fruhwald T, Landi F, Suominen MH, Vandewoude M, Wirth R, & Schneider SM. (2015). ESPEN guidelines on nutrition in dementia. *Clin Nutr*, 34(6), 1052-1073. doi:10.1016/j.clnu.2015.09.004
- Wallace JI, & Schwartz RS. (2002). Epidemiology of weight loss in humans with special reference to wasting in the elderly. *Int J Cardiol*, 85(1), 15-21.
- Wells JL, & Dumbrell AC. (2006). Nutrition and aging: assessment and treatment of compromised nutritional status in frail elderly patients. *Clin Interv Aging*, 1(1), 67-79.