

## Learning Objectives and Assessment Questions Handout

### **Palliative Care**

#### Hyperlinks

<http://www.engageil.com> Accessed October 10, 2016

<http://hiv.ubccpd.ca/files/2012/09/Summary-on-Breaking-Bad-News.pdf>

Accessed October 10, 2016

<http://www.mcw.edu/FileLibrary/User/jrehm/fastfactpdfs/Concepto84.pdf>

Accessed October 10, 2016

<http://www.nhpco.org/palliative-care-legal-and-regulatory-resources>

Accessed October 10, 2016

<http://spcare.bmj.com/content/early/2014/12/09/bmjspcare-2014-000770.full>

Accessed October 10, 2016

<http://theconversationproject.org/> Accessed October 10, 2016

<http://theconversationproject.org/starter-kit/get-ready/> Accessed October 10, 2016

<http://www.wongbakerfaces.org/> Accessed October 10, 2016

#### References

American Academy of Pain Medicine. (2016). *AAPM Facts and Figures on Pain*. Retrieved from

[http://www.painmed.org/patientcenter/facts\\_on\\_pain.aspx](http://www.painmed.org/patientcenter/facts_on_pain.aspx). Accessed July 6, 2016

Cardona-Morrell M, & Hillman K. (2015). Development of a tool for defining and identifying the dying patient in hospital: Criteria for Screening and Triaging to Appropriate aLternative care (CriSTAL). *BMJ Supportive & Palliative Care*. doi:10.1136/bmjspcare-2014-000770

Christakis NA. (1999). *Death foretold*. Chicago, IL: University of Chicago Press.

Connor SR, Pyenson B, Fitch K, Spence C, & Iwasaki K. (2007). Comparing hospice and nonhospice patient survival among patients who die within a three-year window. *J Pain Symptom Manage*, 33(3), 238-246. doi:10.1016/j.jpainsymman.2006.10.010

Eggermont LH, Leveille SG, Shi L, Kiely DK, Shmerling RH, Jones RN, Guralnik JM, & Bean JF. (2014). Pain characteristics associated with the onset of disability in older adults: the maintenance of balance, independent living, intellect, and zest in the Elderly Boston Study. *J Am Geriatr Soc*, 62(6), 1007-1016. doi:10.1111/jgs.12848

Gattellari M, Butow PN, Tattersall MH, Dunn SM, & MacLeod CA. (1999). Misunderstanding in cancer patients: why shoot the messenger? *Ann Oncol*, 10(1), 39-46.

Gruneir A, Mor V, Weitzen S, Truchil R, Teno J, & Roy J. (2007). Where people die: a multilevel approach to understanding influences on site of death in America. *Med Care Res Rev*, 64(4), 351-378. doi:10.1177/1077558707301810

International Association for the Study of Pain. (2012). *IASP Taxonomy*. Retrieved from <http://www.iasp-pain.org/Taxonomy>. Accessed July 6, 2016

Keefe FJ, Porter L, Somers T, Shelby R, & Wren AV. (2013). Psychosocial interventions for managing pain in older adults: outcomes and clinical implications. *Br J Anaesth*, 111(1), 89-94. doi:10.1093/bja/aet129

Koretz RL. (2007). Do data support nutrition support? Part II. enteral artificial nutrition. *J Am Diet Assoc*, 107(8), 1374-1380. doi:10.1016/j.jada.2007.05.006

Mackillop WJ, Stewart WE, Ginsburg AD, & Stewart SS. (1988). Cancer patients' perceptions of their disease and its treatment. *Br J Cancer*, 58(3), 355-358.

Matos M, Bernardes SF, & Goubert L. (2016). The relationship between perceived promotion of autonomy/dependence and pain-related disability in older adults with chronic pain: the mediating role of self-reported physical functioning. *J Behav Med*. doi:10.1007/s10865-016-9726-x

McCann RM, Hall WJ, & Groth-Juncker A. (1994). Comfort care for terminally ill patients. The appropriate use of nutrition and hydration. *JAMA*, 272(16), 1263-1266.

National Hospice and Palliative Care Organization. (2016). *An explanation of palliative care*. Retrieved from <http://www.nhpc.org/palliative-care-4>. Accessed July 6, 2016

Palecek EJ, Teno JM, Casarett DJ, Hanson LC, Rhodes RL, & Mitchell SL. (2010). Comfort feeding only: a proposal to bring clarity to decision-making regarding difficulty with eating for persons with advanced dementia. *J Am Geriatr Soc*, 58(3), 580-584. doi:10.1111/j.1532-5415.2010.02740.x

Sampson EL, Candy B, & Jones L. (2009). Enteral tube feeding for older people with advanced dementia. *Cochrane Database Syst Rev*(2), Cdo07209. doi:10.1002/14651858.CD007209.pub2

Stanford University School of Medicine. (2016). *Where do Americans die?* Retrieved from <https://palliative.stanford.edu/home-hospice-home-care-of-the-dying-patient/where-do-americans-die>. Accessed July 6, 2016

Stubbs B, Binnekade T, Eggermont L, Sepehry AA, Patchay S, & Schofield P. (2014). Pain and the risk for falls in community-dwelling older adults: systematic review and meta-analysis. *Arch Phys Med Rehabil*, 95(1), 175-187.e179. doi:10.1016/j.apmr.2013.08.241

Temel JS, Greer JA, Muzikansky A, Gallagher ER, Admane S, Jackson VA, Dahlin CM, Blinderman CD, Jacobsen J, Pirl WF, Billings JA, & Lynch TJ. (2010). Early palliative care for patients with metastatic non-small-cell lung cancer. *N Engl J Med*, 363(8), 733-742. doi:10.1056/NEJMoa1000678

Weeks JC, Catalano PJ, Cronin A, Finkelman MD, Mack JW, Keating NL, & Schrag D. (2012). Patients' expectations about effects of chemotherapy for

advanced cancer. *N Engl J Med*, 367(17), 1616-1625.

doi:10.1056/NEJMoa1204410

Wood BM, Nicholas MK, Blyth F, Asghari A, & Gibson S. (2013).

Catastrophizing mediates the relationship between pain intensity and depressed mood in older adults with persistent pain. *J Pain*, 14(2), 149-157.

doi:10.1016/j.jpain.2012.10.011