

## Resources and References Handout

### **Dying Process**

#### Hyperlinks

<https://agingwithdignity.org/five-wishes/about-five-wishes> Accessed October 10, 2016

[www.caringinfo.org](http://www.caringinfo.org) Accessed October 10, 2016

<http://theconversationproject.org/> Accessed October 10, 2016

<http://www.polst.org/programs-in-your-state/> Accessed October 10, 2016

<https://hospicefoundation.org/End-of-Life-Support-and-Resources/Coping-with-Terminal-Illness/Signs-of-Approaching-Death> Accessed October 10, 2016

#### References

Aging with Dignity. (2015). *Five wishes*. Retrieved from

<https://agingwithdignity.org/five-wishes/about-five-wishes>. Accessed July 6, 2016  
American Psychological Association (2015). *End of life issues and care*. Retrieved from <http://www.apa.org/topics/death/end-of-life.aspx>. Accessed July 6, 2016.

Barr J, Fraser GL, Puntillo K, Ely EW, Gelinas C, Dasta JF, Davidson JE, Devlin JW, Kress JP, Joffe AM, Coursin DB, Herr DL, Tung A, Robinson BR, Fontaine DK, Ramsay MA, Riker RR, Sessler CN, Pun B, Skrobik Y, & Jaeschke R. (2013). Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. *Crit Care Med*, *41*(1), 263-306. doi:10.1097/CCM.0b013e3182783b72

Bischoff SC, & Renzer C. (2006). Nausea and nutrition. *Auton Neurosci*, *129*(1-2), 22-27. doi:10.1016/j.autneu.2006.07.011

Breitbart W, Gibson C, Poppito SR, & Berg A. (2004). Psychotherapeutic interventions at the end of life: a focus on meaning and spirituality. *Can J Psychiatry*, *49*(6), 366-372.

- Buck HG, & Meghani SH. (2012). Spiritual expressions of African Americans and Whites in cancer pain. *J Holist Nurs*, 30(2), 107-116.  
doi:10.1177/0898010111423420
- Buning L, & Bullock K. To eat or not to eat: Managing dysphagia at end of life (FR435). *J Pain Symptom Manage*, 51(2), 358-359.  
doi:10.1016/j.jpainsymman.2015.12.212
- California Healthcare Foundation. (2012). *Final Chapter: California's Attitudes and Experiences with Death and Dying*. Retrieved from <http://www.chcf.org/publications/2012/02/final-chapter-death-dying878986543231>. Accessed July 6, 2016.
- Campbell ML. (2015). Caring for dying patients in the intensive care unit: managing pain, dyspnea, anxiety, delirium, and death rattle. *AACN Adv Crit Care*, 26(2), 110-120; quiz 121-112.  
doi:10.1097/nci.0000000000000077
- Chochinov HM, Hack T, Hassard T, Kristjanson LJ, McClement S, & Harlos M. (2005). Dignity therapy: a novel psychotherapeutic intervention for patients near the end of life. *J Clin Oncol*, 23(24), 5520-5525.  
doi:10.1200/jco.2005.08.391
- Conversation Project National Survey. (2013). New Survey Reveals "Conversation Disconnect". Retrieved from [http://theconversationproject.org/wp-content/uploads/2013/09/TCP-Survey-Release\\_FINAL-9-18-13.pdf](http://theconversationproject.org/wp-content/uploads/2013/09/TCP-Survey-Release_FINAL-9-18-13.pdf). Accessed July 6, 2016.
- Dy SM, Lorenz KA, Naeim A, Sanati H, Walling A, & Asch SM. (2008). Evidence-based recommendations for cancer fatigue, anorexia, depression, and dyspnea. *J Clin Oncol*, 26(23), 3886-3895.  
doi:10.1200/jco.2007.15.9525
- Einang Alnes R, Kirkevold M, & Skovdahl K. (2011). Insights gained through Marte Meo counselling: experiences of nurses in dementia specific care units. *Int J Older People Nurs*, 6(2), 123-132.  
doi:10.1111/j.1748-3743.2010.00229.x

- Endacott R, Boyer C, Benbenishty J, Ben Nunn M, Ryan H, Chamberlain W, Boulanger C, & Ganz FD. (2016). Perceptions of a good death: A qualitative study in intensive care units in England and Israel. *Intensive Crit Care Nurs*, 36, 8-16. doi:10.1016/j.iccn.2016.04.004
- Hagman G. (2016). *New mourning*. New York, NY: Routledge.
- Haley WE, Larson DG, Kasl-Godley J, Neimeyer RA, & Kwilosz DM. (2003). Roles for psychologists in end-of-life care: Emerging models of practice. *Professional Psychology: Research and Practice*, 34(6), 626-633.
- Hokka M, Kaakinen P, & Polkki T. (2014). A systematic review: non-pharmacological interventions in treating pain in patients with advanced cancer. *J Adv Nurs*, 70(9), 1954-1969. doi:10.1111/jan.12424
- Irwin SA, Pirrello RD, Hirst JM, Buckholz GT, & Ferris FD. (2013). Clarifying delirium management: practical, evidenced-based, expert recommendations for clinical practice. *J Palliat Med*, 16(4), 423-435. doi:10.1089/jpm.2012.0319
- Ishiguro H, Kawaguchi K, Nishimura T, & Toi M. (2013). Antipsychotics-containing regimen as an alternative to standard antiemetics for delayed nausea induced by highly emetogenic chemotherapy. *J Clin Oncol*, 31(10), 1377-1378. doi:10.1200/jco.2012.47.2951
- Ishiki H, Iwase S, Gyoda Y, Kanai Y, Ariyoshi K, Miyaji T, Tahara Y, Kawaguchi T, Chinzei M, & Yamaguchi T. (2015). Oral nutritional support can shorten the duration of parenteral hydration in end-of-life cancer patients: a randomized controlled trial. *Nutr Cancer*, 67(1), 105-111. doi:10.1080/01635581.2015.976312
- Kamal AH, Maguire JM, Wheeler JL, Currow DC, & Abernethy AP. (2012). Dyspnea review for the palliative care professional: treatment goals and

- therapeutic options. *J Palliat Med*, 15(1), 106-114.  
doi:10.1089/jpm.2011.0110
- Labori KJ, Hjermsstad MJ, Wester T, Buanes T, & Loge JH. (2006). Symptom profiles and palliative care in advanced pancreatic cancer: a prospective study. *Support Care Cancer*, 14(11), 1126-1133. doi:10.1007/s00520-006-0067-0
- Lindqvist O, Lundquist G, Dickman A, Bukki J, Lunder U, Hagelin CL, Rasmussen BH, Sauter S, Tishelman C, & Furst CJ. (2013). Four essential drugs needed for quality care of the dying: a Delphi-study based international expert consensus opinion. *J Palliat Med*, 16(1), 38-43.  
doi:10.1089/jpm.2012.0205
- Lofton K. (2015, September 28). Hospital workers find solace in pausing after a death. *Kaiser Health News*. Retrieved from <http://khn.org/news/hospital-workers-find-solace-in-pausing-after-a-death/>. Accessed October 3, 2016
- Lopez RP, & Amella EJ. (2012). Intensive individualized comfort care: making the case. *J Gerontol Nurs*, 38(7), 3-5. doi:10.3928/00989134-20120605-02
- Lopez S. (2007). Honoring cultural diversity at the end of life. *Social Work Today*, 7(6), 36.
- MacFarlane J, Morin CM, & Montplaisir J. (2014). Hypnotics in insomnia: the experience of zolpidem. *Clin Ther*, 36(11), 1676-1701.  
doi:10.1016/j.clinthera.2014.09.017
- Martinez FT, Tobar C, Beddings CI, Vallejo G, & Fuentes P. (2012). Preventing delirium in an acute hospital using a non-pharmacological intervention. *Age Ageing*, 41(5), 629-634. doi:10.1093/ageing/afs060
- National Institute on Aging. (2012). *Providing comfort at the end of life*. Retrieved from National Institute on Aging: <https://www.nia.nih.gov/health/publication/end-life-helping-comfort-and-care/providing-comfort-end-life>. Accessed July 8, 2016

- Palecek EJ, Teno JM, Casarett DJ, Hanson LC, Rhodes RL, & Mitchell SL. (2010). Comfort feeding only: a proposal to bring clarity to decision-making regarding difficulty with eating for persons with advanced dementia. *J Am Geriatr Soc*, 58(3), 580-584. doi:10.1111/j.1532-5415.2010.02740.x
- Pan CX, Morrison RS, Ness J, Fugh-Berman A, & Leipzig RM. (2000). Complementary and alternative medicine in the management of pain, dyspnea, and nausea and vomiting near the end of life. A systematic review. *J Pain Symptom Manage*, 20(5), 374-387.
- Rando TA. (1986). *Loss and Anticipatory Grief*. Lexington, MA: Lexington Books.
- Ribera-Casado JM. Feeding and hydration in terminal stage patients. *European Geriatric Medicine*, 6(1), 87-90. doi:10.1016/j.eurger.2014.11.009
- Rollins LK, & Hauck FR. (2015). Delivering bad news in the context of culture: A patient-centered approach. *JCOM*, 22(1), 21-26.
- Sandvik RK, Selbaek G, Bergh S, Aarsland D, & Husebo BS. (2016). Signs of imminent dying and change in symptom intensity during pharmacological treatment in dying nursing home patients: A prospective trajectory study. *J Am Med Dir Assoc*, 17(9), 821-827. doi:10.1016/j.jamda.2016.05.006
- Shear MK, Ghesquiere A, & Glickman K. (2013). Bereavement and complicated grief. *Curr Psychiatry Rep*, 15(11), 406. doi:10.1007/s11920-013-0406-z
- Sinuff T, Dodek P, You JJ, Barwich D, Tayler C, Downar J, Hartwick M, Frank C, Stelfox HT, & Heyland DK. (2015). Improving end-of-life communication and decision making: The development of a conceptual framework and quality indicators. *J Pain Symptom Manage*, 49(6), 1070-1080. doi:10.1016/j.jpainsymman.2014.12.007
- Skrobik Y. (2011). Delirium prevention and treatment. *Anesthesiol Clin*, 29(4), 721-727. doi:10.1016/j.anclin.2011.09.010
- Teut M, Dietrich C, Deutz B, Mittring N, & Witt CM. (2014). Perceived outcomes of music therapy with Body Tambura in end of life care - a qualitative pilot study. *BMC Palliat Care*, 13(1), 18. doi:10.1186/1472-684x-13-18

Worden JW. (2009). *Grief counseling and grief therapy: A handbook for the mental health practitioner*. New York, NY: Springer.