

Resources and References Handout
Depression and Delirium of the Older Adult

Hyperlinks

www.Geriatricscareonline.org

Accessed July 6, 2016

www.pogoe.org

Accessed July 6, 2016

www.americandeliriumsociety.org

Accessed September 12th, 2017

References

American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC: Author.

Blazer DG. (2003). Depression in late life: review and commentary. *J Gerontol A Biol Sci Med Sci*, 58(3), 249-265.

Boettger S, Jenewein J, & Breitbart W. (2015). Haloperidol, risperidone, olanzapine and aripiprazole in the management of delirium: A comparison of efficacy, safety, and side effects. *Palliat Support Care*, 13(4), 1079-1085.

doi:10.1017/s1478951514001059

Boltz M, Capezuti E, Fulmer TT, & Zwicker D. (2016). *Evidence-based geriatric nursing protocols for best practice*. New York, NY: Springer.

Bryczkowski SB, Lopreiato MC, Yonclas PP, Sacca JJ, & Mosenthal AC. (2014). Delirium prevention program in the surgical intensive care unit improved the outcomes of older adults. *J Surg Res*, 190(1), 280-288. doi:10.1016/j.jss.2014.02.044

Centers for Disease Control and Prevention. (2017). Depression is not a normal part of growing older. Retrieved from

<https://www.cdc.gov/aging/mentalhealth/depression.htm>. Accessed August 9, 2017

Chin YC, Koh GC, Tay YK, Tan CH, & Merchant RA. (2016). Underdiagnosis of delirium on admission and prediction of patients who will develop delirium during their inpatient stay: a pilot study. *Singapore Med J*, 57(1), 18-21.

doi:10.11622/smedj.2016007

Curtin SC, Warner M, & Hedegaard H. (2016). Increase in suicide in the United States, 1999–2014 (NCHS data brief, no. 241). Retrieved from

<https://www.cdc.gov/nchs/products/databriefs/db241.htm>. Accessed August 9, 2017

de Lange E, Verhaak PF, & van der Meer K. (2013). Prevalence, presentation and prognosis of delirium in older people in the population, at home and in long term care: a review. *Int J Geriatr Psychiatry*, 28(2), 127-134. doi:10.1002/gps.3814

DiPiro J, Talbert R, Yee G, Matzke G, Wells B, & Posey L. (2011).

Pharmacotherapy: A pathophysiologic approach, 8e. Retrieved from

<http://accesspharmacy.mhmedical.com/ViewLarge.aspx?figid=41122658&gbosContainerID=0&gbosid=0>. Accessed August 9, 2017

Fiske A, Wetherell JL, & Gatz M. (2009). Depression in older adults. *Annu Rev Clin Psychol*, 5, 363-389. doi:10.1146/annurev.clinpsy.032408.153621

Flaherty J, & Tumosa N. (n.d.). *Saint Louis University Geriatric Evaluation Mnemonic Screening Tools*: Saint Louis University School of Medicine Division of Geriatric Medicine and the Geriatric Research, Education, and Clinical Center St. Louis VA Medical Center.

Fong TG, Tulebaev SR, & Inouye SK. (2009). Delirium in elderly adults: diagnosis, prevention and treatment. *Nat Rev Neurol*, 5(4), 210-220. doi:10.1038/nrneurol.2009.24

Gallagher TK, McErlean S, O'Farrell A, Hoti E, Maguire D, Traynor OJ, Conlon KC, & Geoghegan JG. (2014). Incidence and risk factors of delirium in patients post pancreaticoduodenectomy. *HPB (Oxford)*, 16(9), 864-869. doi:10.1111/hpb.12266

Gonzalez, V., Reid, J., Plasterer, K., Barzanji, N., & Agreement, N. I. P. R. (2014). Medical Communication Bag for Elderly Patients with Dementia/Delirium (Proposal).

Guidi J, Tomba E, & Fava GA. (2016). The Sequential Integration of Pharmacotherapy and Psychotherapy in the Treatment of Major Depressive Disorder: A Meta-Analysis of the Sequential Model and a Critical Review of the Literature. *Am J Psychiatry*, 173(2), 128-137. doi:10.1176/appi.ajp.2015.15040476

Gotzsche PC. (2014). Why I think antidepressants cause more harm than good. *Lancet Psychiatry*, 1(2), 104-106. doi:10.1016/s2215-0366(14)70280-9

Hensley MA. (2012). Patient-centered care and psychiatric rehabilitation: What's the connection. *International Journal of Psychosocial Rehabilitation*, 17(1), 135-141.

Hui D, Frisbee-Hume S, Wilson A, Dibaj S, Nguyen T, De La Cruz M, Walker P, Delgado-Guay M, Vidal M, Zhukovsky D, Epner D, Reddy A, Tanco K, Williams J, Hall S, Liu D, Hess K, Amin S, Breitbart W, & Bruera E. (2017). *Lorazepam as an adjuvant to haloperidol for agitated delirium at the end of life: A double-blind randomized controlled trial*. Paper presented at the American Society of Clinical Oncology Annual Meeting, Chicago, IL. <http://meetinglibrary.asco.org/record/145859/abstract>

Inouye, S. K., Bogardus Jr, S. T., Charpentier, P. A., Leo-Summers, L., Acampora, D., Holford, T. R., & Cooney Jr, L. M. (1999). A multicomponent intervention to prevent delirium in hospitalized older patients. *New England journal of medicine*, 340(9), 669-676. DOI: 10.1056/NEJM199903043400901

Inouye SK, Westendorp RG, & Saczynski JS. (2014). Delirium in elderly people. *Lancet*, 383(9920), 911-922. doi:10.1016/s0140-6736(13)60688-1

Jongenelis K, Pot AM, Eisses AM, Beekman AT, Kluiter H, & Ribbe MW. (2004). Prevalence and risk indicators of depression in elderly nursing home patients: the AGED study. *J Affect Disord*, 83(2-3), 135-142. doi:10.1016/j.jad.2004.06.001

Kroenke K, Spitzer RL, & Williams JB. (2001). The PHQ-9: validity of a brief depression severity measure. *J Gen Intern Med*, 16(9), 606-613.

Kroenke K, Spitzer RL, & Williams JB. (2003). The Patient Health Questionnaire-2: validity of a two-item depression screener. *Med Care*, 41(11), 1284-1292. doi:10.1097/01.mlr.0000093487.78664.3c

Leslie DL, & Inouye SK. (2011). The importance of delirium: economic and societal costs. *J Am Geriatr Soc*, 59 Suppl 2, S241-243. doi:10.1111/j.1532-5415.2011.03671.x

Mailhot T, Cossette S, Bourbonnais A, Cote J, Denault A, Cote MC, Lamarche Y, & Guertin MC. (2014). Evaluation of a nurse mentoring intervention to family caregivers in the management of delirium after cardiac surgery (MENTOR_D): a study protocol for a randomized controlled pilot trial. *Trials*, 15, 306. doi:10.1186/1745-6215-15-306

Martin-Plank L. (2014). Psychosocial Disorders. In L. Kennedy-Malone, K. Ryan Fletcher, & L. Martin-Plank (Eds.), *Advanced Practice Nursing in the Care of Older Adults* (pp. 578). Philadelphia, PA: F.A. Davis.

Meagher DJ. (2001). Delirium: optimising management. *BMJ*, *322*(7279), 144-149.

Meagher DJ, Morandi A, Inouye SK, Ely W, Adamis D, Maclullich AJ, Rudolph JL, Neufeld K, Leonard M, Bellelli G, Davis D, Teodorczuk A, Kreisel S, Thomas C, Hasemann W, Timmons S, O'Regan N, Grover S, Jabbar F, Cullen W, Dunne C, Kamholz B, Van Munster BC, De Rooij SE, De Jonghe J, & Trzepacz PT. (2014). Concordance between DSM-IV and DSM-5 criteria for delirium diagnosis in a pooled database of 768 prospectively evaluated patients using the delirium rating scale-revised-98. *BMC Med*, *12*, 164. doi:10.1186/s12916-014-0164-8

Mitchell J, Trangle M, Degnan B, Gabert T, Haight B, Kessler D, Mack N, Mallen E, Novak H, Rossmiller D, Setterlund L, Somers K, Valentino N, Vincent S, & Institute for Clinical Systems Improvement. (2013, September 2013). Adult Depression in Primary Care. Retrieved from http://pcptoolkit.beaconhealthoptions.com/wp-content/uploads/2016/02/ICSI_Depression.pdf. Accessed August 9, 2017

Mistraletti G, Pelosi P, Mantovani ES, Berardino M, & Gregoretti C. (2012). Delirium: clinical approach and prevention. *Best Pract Res Clin Anaesthesiol*, *26*(3), 311-326. doi:10.1016/j.bpa.2012.07.001

NIH consensus conference. Diagnosis and treatment of depression in late life. (1992). *JAMA*, *268*(8), 1018-1024.

Park M, & Unutzer J. (2011). Geriatric depression in primary care. *Psychiatr Clin North Am*, *34*(2), 469-487, ix-x. doi:10.1016/j.psc.2011.02.009

Ryan DJ, O'Regan NA, Caoimh RO, Clare J, O'Connor M, Leonard M, McFarland J, Tighe S, O'Sullivan K, Trzepacz PT, Meagher D, & Timmons S. (2013). Delirium in an adult acute hospital population: predictors, prevalence and detection. *BMJ Open*, *3*(1). doi:10.1136/bmjopen-2012-001772

Reuben DB, Herr KA, Pacala JT, Pollock BG, Potter JF, & Semla TP. (2014). *Geriatrics at your fingertips*. 16th ed. Malden, MA: Blackwell.

Schulz R, & Martire LM. (2004). Family caregiving of persons with dementia: prevalence, health effects, and support strategies. *Am J Geriatr Psychiatry*, *12*(3), 240-249.

Sheikh JI, & Yesavage JA. (1986). Geriatric Depression Scale (GDS). Recent evidence and development of a shorter version. In T. L. Brink (Ed.), *Clinical gerontology: A guide to assessment and intervention* (pp. 165-173). New York, NY: The Haworth Press, Inc.

Siddiqi N, House AO, & Holmes JD. (2006). Occurrence and outcome of delirium in medical in-patients: a systematic literature review. *Age Ageing*, *35*(4), 350-364. doi:10.1093/ageing/afl005

Simon SS, Cordas TA, & Bottino CM. (2015). Cognitive Behavioral Therapies in older adults with depression and cognitive deficits: a systematic review. *Int J Geriatr Psychiatry*, *30*(3), 223-233. doi:10.1002/gps.4239

Taylor WD. (2014). Depression in the Elderly. *New England Journal of Medicine*, *371*(13), 1228-1236. doi:10.1056/NEJMcp1402180

Vaurio LE, Sands LP, Wang Y, Mullen EA, & Leung JM. (2006). Postoperative delirium: the importance of pain and pain management. *Anesth Analg*, 102(4), 1267-1273. doi:10.1213/01.ane.0000199156.59226.af

Wass S, Webster PJ, & Balakrishnam, RN. (2008). Delirium in the elderly. *Oman Med J*, 23(3), 150-157. Retrieved from

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3282320/>. Accessed July 26, 2016

Williams N, & DeBattista C. (2017). Psychiatric disorders. In M. A. Papadakis, S. J. McPhee, & M. W. Rabow (Eds.), *Current medical diagnosis & treatment* (56th ed.). New York, NY: McGraw-Hill.

Williamson EM. (2017). Herbal Neurotoxicity: An Introduction to Its Occurrence and Causes In O. Pelkonen, P. Duez, P. M. Vuorela, & H. Vuorela (Eds.), *Toxicology of Herbal Products* (pp. 345-362). New York, NY: Springer International.

Wong RYM. (2003). Growing older, getting stronger: preventive health in geriatrics. *Canadian Journal of CME*, 15(3), 133-144.

Yesavage JA. (1988). Geriatric Depression Scale. *Psychopharmacol Bull*, 24(4), 709-711.

Zaal IJ, Spruyt CF, Peelen LM, van Eijk MM, Wientjes R, Schneider MM, Kesecioglu J, & Slooter AJ. (2013). Intensive care unit environment may affect the course of delirium. *Intensive Care Med*, 39(3), 481-488. doi:10.1007/s00134-012-2726-6