

Resources and References Handout

Drug Therapy in Older Adults

Hyperlinks

www.accessdata.fda.gov/scripts/cder/daf/ Accessed March 10, 2016

www.geriatricscareonline.org/toc/american-geriatrics-society-updated-beers-criteria-for-potentially-inappropriate-medication-use-in-older-adults/CL001

Accessed March 10, 2016

www.healthinaging.org/ Accessed March 10, 2016

www.nlm.nih.gov/medlineplus/ Accessed March 10, 2016

References

Ahmed B, Nanji K, Mujeeb R, & Patel MJ. (2014). Effects of polypharmacy on adverse drug reactions among geriatric outpatients at a tertiary care hospital in Karachi: a prospective cohort study. *PLoS One*, 9(11), e112133.

doi:10.1371/journal.pone.0112133

Allred DP, Kennedy MC, Hughes C, Chen TF, & Miller P. (2016). Interventions to optimise prescribing for older people in care homes. *Cochrane Database Syst Rev*, 2, Cd009095. doi:10.1002/14651858.CD009095.pub3

American Geriatrics Society. (2015). American Geriatrics Society 2015 Updated Beers criteria for potentially inappropriate medication use in older adults. *J Am Geriatr Soc*, 63(11), 2227-2246. doi:10.1111/jgs.13702

Budnitz DS, Lovegrove MC, Shehab N, & Richards CL. (2011). Emergency hospitalizations for adverse drug events in older Americans. *N Engl J Med*, 365(21), 2002-2012. doi:10.1056/NEJMs1103053

Chiu MH, Lee HD, Hwang HF, Wang SC, & Lin MR. (2015). Medication use and fall-risk assessment for falls in an acute care hospital. *Geriatr Gerontol Int*, 15(7), 856-863. doi:10.1111/ggi.12359

Coleman EA, Parry C, Chalmers S, & Min SJ. (2006). The care transitions intervention: results of a randomized controlled trial. *Arch Intern Med*, 166(17), 1822-1828. doi:10.1001/archinte.166.17.1822

Cooper JW. (1999). Adverse drug reaction-related hospitalizations of nursing facility patients: a 4-year study. *South Med J*, 92(5), 485-490.

Cruz-Jentoft AJ, Boland B, & Rexach L. (2012). Drug therapy optimization at the end of life. *Drugs Aging*, 29(6), 511-521. doi:10.2165/11631740-000000000-00000

Doan J, Zakrzewski-Jakubiak H, Roy J, Turgeon J, & Tannenbaum C. (2013). Prevalence and risk of potential cytochrome P450-mediated drug-drug interactions in older hospitalized patients with polypharmacy. *Ann Pharmacother*, 47(3), 324-332. doi:10.1345/aph.1R621

Fried TR, O'Leary J, Towle V, Goldstein MK, Trentalange M, & Martin DK. (2014). Health outcomes associated with polypharmacy in community-dwelling older adults: a systematic review. *J Am Geriatr Soc*, 62(12), 2261-2272. doi:10.1111/jgs.13153

Gill SS, Mamdani M, Naglie G, Streiner DL, Bronskill SE, Kopp A, Shulman KI, Lee PE, & Rochon PA. (2005). A prescribing cascade involving cholinesterase inhibitors and anticholinergic drugs. *Arch Intern Med*, 165(7), 808-813. doi:10.1001/archinte.165.7.808

Gray SL, Anderson ML, Dublin S, Hanlon JT, Hubbard R, Walker R, Yu O, Crane PK, & Larson EB. (2015). Cumulative use of strong anticholinergics and incident dementia: a prospective cohort study. *JAMA Intern Med*, 175(3), 401-407. doi:10.1001/jamainternmed.2014.7663

Greenhalgh T, Howick J, & Maskrey N. (2014). Evidence based medicine: a movement in crisis? *BMJ*, 348, g3725. doi:10.1136/bmj.g3725

Gurwitz JH, Field TS, Judge J, Rochon P, Harrold LR, Cadoret C, Lee M, White K, LaPrino J, Erramuspe-Mainard J, DeFlorio M, Gavendo L, Auger J, Bates DW. (2005). The incidence of adverse drug events in two large academic long-term care facilities. *American Journal of Medicine*. 118, 521-258.

Hanlon JT, Schmader KE, Koronkowski MJ, Weinberger M, Landsman PB, Samsa GP, & Lewis IK. (1997). Adverse drug events in high risk older outpatients. *J Am Geriatr Soc*, 45(8), 945-948.

- Holmes HM, Hayley DC, Alexander GC, & Sachs GA. (2006). Reconsidering medication appropriateness for patients late in life. *Arch Intern Med*, 166(6), 605-609. doi:10.1001/archinte.166.6.605
- Lai SW, Liao KF, Liao CC, Muo CH, Liu CS, & Sung FC. (2010). Polypharmacy correlates with increased risk for hip fracture in the elderly: a population-based study. *Medicine (Baltimore)*, 89(5), 295-299. doi:10.1097/MD.0b013e3181f15efc
- Lu WH, Wen YW, Chen LK, & Hsiao FY. (2015). Effect of polypharmacy, potentially inappropriate medications and anticholinergic burden on clinical outcomes: a retrospective cohort study. *Cmaj*, 187(4), E130-137. doi:10.1503/cmaj.141219
- Nahin RL, Pecha M, Welmerink DB, Sink K, DeKosky ST, & Fitzpatrick AL. (2009). Concomitant use of prescription drugs and dietary supplements in ambulatory elderly people. *J Am Geriatr Soc*, 57(7), 1197-1205. doi:10.1111/j.1532-5415.2009.02329.x
- O'Mahony D, O'Sullivan D, Byrne S, O'Connor MN, Ryan C, & Gallagher P. (2015). STOPP/START criteria for potentially inappropriate prescribing in older people: version 2. *Age Ageing*, 44(2), 213-218. doi:10.1093/ageing/afu145
- Osterberg L, & Blaschke T. (2005). Adherence to medication. *N Engl J Med*, 353(5), 487-497. doi:10.1056/NEJMra050100
- Pan HH, Li CY, Chen TJ, Su TP, & Wang KY. (2014). Association of polypharmacy with fall-related fractures in older Taiwanese people: age- and gender-specific analyses. *BMJ Open*, 4(3), e004428. doi:10.1136/bmjopen-2013-004428
- Qato DM, Alexander GC, Conti RM, Johnson M, Schumm P, & Lindau ST. (2008). Use of prescription and over-the-counter medications and dietary supplements among older adults in the United States. *JAMA*, 300(24), 2867-2878. doi:10.1001/jama.2008.892
- Qato DM, Wilder J, Schumm LP, Gillet V, & Alexander GC. (2016). Changes in prescription and over-the-counter medication and dietary supplement use among older adults in the United States, 2005 vs 2011. *JAMA Intern Med*, 176(4), 473-482. doi:10.1001/jamainternmed.2015.8581
- Rochon PA, & Gurwitz JH. (1997). Optimising drug treatment for elderly people: the prescribing cascade. *BMJ*, 315(7115), 1096-1099.

Schiff GD, Galanter WL, Duhig J, Lodolce AE, Koronkowski MJ, & Lambert BL. (2011). Principles of conservative prescribing. *Arch Intern Med*, 171(16), 1433-1440. doi:10.1001/archinternmed.2011.256

Schmidt LE, & Dalhoff K. (2002). Food-drug interactions. *Drugs*, 62(10), 1481-1502.

Spinewine A, Schmader KE, Barber N, Hughes C, Lapane KL, Swine C, & Hanlon JT. (2007). Appropriate prescribing in elderly people: how well can it be measured and optimised? *Lancet*, 370(9582), 173-184. doi:10.1016/s0140-6736(07)61091-5

Steinman MA, Handler SM, Gurwitz JH, Schiff GD, & Covinsky KE. (2011). Beyond the prescription: medication monitoring and adverse drug events in older adults. *J Am Geriatr Soc*, 59(8), 1513-1520. doi:10.1111/j.1532-5415.2011.03500.x

Steinman MA, & Hanlon JT. (2010). Managing medications in clinically complex elders: "There's got to be a happy medium". *JAMA*, 304(14), 1592-1601. doi:10.1001/jama.2010.1482

Wolfstadt JI, Gurwitz JH, Field TS, Lee M, Kalkar S, Wu W, & Rochon PA. (2008). The effect of computerized physician order entry with clinical decision support on the rates of adverse drug events: a systematic review. *J Gen Intern Med*, 23(4), 451-458. doi:10.1007/s11606-008-0504-5