

Resources and References Handout

Working with the Older Adult with Visual, Hearing, and Cognitive Impairment

Hyperlinks

<http://aging.slu.edu/index.php?page=saint-louis-university-mental-status-slums-exam> Accessed October 13, 2016

<http://aging.slu.edu/index.php?page=rapid-cognitive-screen-assessment-tool>
Accessed October 13, 2016

http://www.alz.org/documents_custom/minicog.pdf Accessed October 13, 2016

<http://alzheimer.wustl.edu/cdr/ad8.htm> Accessed November 8, 2016

www.nia.nih.gov/research/cognitive-instrument Accessed October 13, 2016

<http://www4.parinc.com/products/product.aspx?Productid=MMSE> Accessed
October 13, 2016

<https://aaosso.americanglaucomasociety.net/ags/Find-An-AGS-Doctor> Accessed
October 13, 2016

<http://abop.org/verify-a-physician/> Accessed October 13, 2016

<http://aging.slu.edu/index.php?page=saint-louis-university-mental-status-slums-exam> Accessed October 13, 2016

http://www.alz.org/documents_custom/minicog.pdf Accessed October 13, 2016

<http://Alzheimer.wustl.edu/cdr/ad8.htm> Accessed October 28, 2016

<http://www.amd.org/the-amsler-grid/> Accessed October 13, 2016

<https://aaosso.americanglaucomasociety.net/ags/Find-An-AGS-Doctor> Accessed
October 13, 2016

COPYRIGHTED:<http://www4.parinc.com/products/product.aspx?Productid=MMSE>

engageil.com Accessed October 13, 2016

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4119094/figure/F2/> Accessed
October 13, 2016

https://nei.nih.gov/health/clinicaltrials_facts Accessed October 13, 2016

https://nei.nih.gov/sites/default/files/health-pdfs/FactsAbout_EYE_CARE_PROFESSIONAL_2013.pdf Accessed October 13, 2016

www.nia.nih.gov/research/cognitive-instrument Accessed October 13, 2016

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4119094/figure/F2/> Accessed October 13, 2016

<http://www.sfotomed.com/webdocuments/questionnaire-hearing-handicap.pdf> Accessed November 8, 2016

<https://secure.aao.org/aao/find-ophthalmologist> Accessed October 13, 2016

<http://www.sfotomed.com/webdocuments/questionnaire-hearing-handicap.pdf> Accessed October 13, 2016

References

Age-Related Eye Disease Study Research Group. (2001). A randomized, placebo-controlled, clinical trial of high-dose supplementation with vitamins C and E, beta carotene, and zinc for age-related macular degeneration and vision loss: AREDS report no. 8. *Arch Ophthalmol*, 119(10), 1417-1436.

Alzheimer's Association. (2015). 2015 Alzheimer's disease facts and figures. *Alzheimers Dement*, 11(3), 332-384. Available at http://www.alz.org/facts/downloads/facts_figures_2015.pdf. Accessed September 13, 2016.

Alzheimer's Association. (2016). *Risk factors*. Retrieved from http://www.alz.org/alzheimers_disease_causes_risk_factors.asp. Accessed November 1, 2016.

American Foundation for the Blind. (2016). *Technology resources for people with vision loss*. Retrieved from <http://www.afb.org/info/living-with-vision-loss/using-technology/12>. Accessed November 1, 2016

American Glaucoma Society. (2013). *Glaucoma basics and frequently asked questions*. Retrieved from: <http://www.americanglaucomasociety.net/patients/faqs#A4>. Accessed July 6, 2016

American Optometric Association. (2016). *Adult vision: over 60 years of age*. Retrieved from <http://www.aoa.org/patients-and-public/good-vision-throughout-life/adult-vision-19-to-40-years-of-age/adult-vision-over-60-years-of-age?sso=y>. Accessed November 1, 2016.

Barnes DE, Beiser AS, Lee A, Langa KM, Koyama A, Preis SR, Neuhaus J, McCammon RJ, Yaffe K, Seshadri S, Haan MN, & Weir DR. (2014). Development and validation of a brief dementia screening indicator for primary care.

Alzheimers Dement, 10(6), 656-665.e651. doi:10.1016/j.jalz.2013.11.006

Barnett S. (2002). Communication with deaf and hard-of-hearing people: a guide for medical education. *Acad Med*, 77(7), 694-700.

Blackwell DL, Lucas JW, & Clarke TC. (2014). Summary health statistics for U.S. adults: national health interview survey, 2012. *Vital Health Stat* 10(260), 1-161.

Borson S, Scanlan JM, Chen P, & Ganguli M. (2003). The Mini-Cog as a screen for dementia: validation in a population-based sample. *J Am Geriatr Soc*, 51(10), 1451-1454.

Bynum L. (2011). Unpublished tabulations based on data from the National 20% Sample Medicare Fee-for-Service Beneficiaries for 2009. Dartmouth Institute for Health Policy and Clinical Care, Dartmouth Medical School.

Chu H, Yang CY, Lin Y, Ou KL, Lee TY, O'Brien AP, & Chou KR. (2014). The impact of group music therapy on depression and cognition in elderly persons with dementia: a randomized controlled study. *Biol Res Nurs*, 16(2), 209-217. doi:10.1177/1099800413485410

Cioffi GA, Van Buskirk EM, & American Glaucoma Society. (n.d.). *Glaucoma basics and frequently asked questions*. Retrieved from <http://www.americanglaucomasociety.net/patients/faqs#A4>. Accessed October 13, 2016.

Court H, McLean G, Guthrie B, Mercer SW, & Smith DJ. (2014). Visual impairment is associated with physical and mental comorbidities in older adults: a cross-sectional study. *BMC Med*, 12, 181. doi:10.1186/s12916-014-0181-7

de Koning I, van Kooten F, Dippel DW, van Harskamp F, Grobbee DE, Kluit C, & Koudstaal PJ. (1998). The CAMCOG: a useful screening instrument for dementia in stroke patients. *Stroke*, 29(10), 2080-2086.

Eshkoo SA, Hamid TA, Mun CY, Ng CK. (2015). Mild cognitive impairment and its management in older people. *Clinical Interventions in Aging*, 10, 687–693. doi: 10.2147/CIA.S73922

Feder RS, Olsen TW, Prum BE, Jr., Summers CG, Olson RJ, Williams RD, & Musch DC. (2016). Comprehensive Adult Medical Eye Evaluation Preferred Practice Pattern((R)) Guidelines. *Ophthalmology*, 123(1), P209-236. doi:10.1016/j.ophtha.2015.10.047

Glaucoma Foundation. (2013). *Primary open-angle glaucoma (POAG)*. Retrieved from: http://www.glaucomafoundation.org/Primary_Open-Angle_Glaucoma.htm. Accessed October 13, 2016

Glaucoma Foundation. (2016). *About glaucoma*. Retrieved from http://www.glaucomafoundation.org/about_glaucoma.htm. Accessed October 13, 2016

Glaucoma Research Foundation. (2011). *Are you at risk for glaucoma?* Retrieved from: <http://www.glaucoma.org/glaucoma/are-you-at-risk-for-glaucoma.php>. Accessed October 13, 2016

Glaucoma Research Foundation. (2012). *Glaucoma facts and stats*. Retrieved from: <http://www.glaucoma.org/glaucoma/glaucoma-facts-and-stats.php>. Accessed October 13, 2016

Hebert LE, Weuve J, Scherr PA, & Evans DA. (2013). Alzheimer disease in the United States (2010-2050) estimated using the 2010 census. *Neurology*, 80(19), 1778-1783. doi:10.1212/WNL.ob013e31828726f5

Hogan DB, Bailey P, Black S, Carswell A, Chertkow H, Clarke B, Cohen C, Fisk JD, Forbes D, Man-Son-Hing M, Lanctot K, Morgan D, & Thorpe L. (2008). Diagnosis and treatment of dementia: 4. Approach to management of mild to moderate dementia. *Cmaj*, 179(8), 787-793. doi:10.1503/cmaj.070803

Hayne MJ, & Fleming R. (2014). Acoustic design guidelines for dementia care facilities *Proceedings of 43rd International Congress on Noise Control Engineering: Internoise 2014* (pp. 1-10). Australia: Australian Acoustical Society.

James J. Peters VA Bronx Medical Center & Mount Sinai School of Medicine. (n.d.). Geriatrics, Palliative Care and Interprofessional Teamwork Curriculum—Module #14: Cultural Competency. Retrieved from: <http://www.nynj.va.gov/docs/Module14.pdf>. Accessed July 6, 2016

Johnson CL, Paulouse-Ram R, Ogden CL, et al. (2013). National Health and Nutrition Examination Survey: Analytic Guidelines, 1999-2010. National Center for Health Statistics. *Vital Health Stat.* 2(161). http://www.cdc.gov/nchs/data/series/sr_02/sr02_161.pdf. Accessed November 8, 2016

Macular Degeneration Partnership. (2016). The Amsler Grid. Retrieved from <http://www.amd.org/the-amsler-grid/>. Accessed September 19, 2016.

Malmstrom TK, Voss VB, Cruz-Oliver DM, Cummings-Vaughn LA, Tumosa N, Grossberg GT, & Morley JE. (2015). The Rapid Cognitive Screen (RCS): a point-of-care screening for dementia and mild cognitive impairment. *J Nutr Health Aging*, 19(7), 741-744. doi:10.1007/s12603-015-0564-2

McGrath M, & O'Callaghan C. (2014). Occupational therapy and dementia care: a survey of practice in the Republic of Ireland. *Aust Occup Ther J*, 61(2), 92-101. doi:10.1111/1440-1630.12081

Murao K, Bodenat M, Cordonnier C, Bombois S, Henon H, Pasquier F, Bordet R, & Leys D. (2013). Does pre-existing cognitive impairment no-dementia influence the outcome of patients treated by intravenous thrombolysis for cerebral ischaemia? *J Neurol Neurosurg Psychiatry*, 84(12), 1412-1414. doi:10.1136/jnnp-2013-305281

National Eye Institute. (2016). *Low Vision and Blindness Rehabilitation – National Plan for Eye and Vision Research [NEI Strategic Planning]*. Retrieved from https://nei.nih.gov/strategicplanning/np_low. Accessed October 13, 2016

National Institute on Deafness and Other Communication Disorders. (2013). Hearing Loss and Older Adults. Retrieved from:

<https://www.nidcd.nih.gov/health/hearing-loss-older-adults>. Accessed July 6, 2016

National Institute on Aging. (2014). *Assessing cognitive impairment in older patients: A quick guide for primary care physicians*. Retrieved from: <https://www.nia.nih.gov/alzheimers/publication/assessing-cognitive-impairment-older-patients>. Accessed July 6, 2016

National Institute of Health. (2013). New NIH resources help growing number of Americans with vision loss. Retrieved from <https://www.nih.gov/news-events/news-releases/new-nih-resources-help-growing-number-americans-vision-loss>. Accessed November 8, 2016

Quillen DA. (1999). Common causes of vision loss in elderly patients. *Am Fam Physician*, 60(1), 99-108. Retrieved from <http://www.aafp.org/afp/1999/0701/p99.html>. Accessed November 8, 2016

Prevent Blindness. (2106). Cataract. <http://www.preventblindness.org/cataract>. Accessed November 8, 2016

Rauch SD. (2008). Idiopathic sudden sensorineural hearing loss. *N Engl J Med*, 359(8), 833–840. doi: 10.1056/NEJMcp0802129

Rudolph JL, Zanin NM, Jones RN, Marcantonio ER, Fong TG, Yang FM, Yap L, & Inouye SK. (2010). Hospitalization in community-dwelling persons with Alzheimer's disease: frequency and causes. *J Am Geriatr Soc*, 58(8), 1542-1548. doi:10.1111/j.1532-5415.2010.02924.x

Sampson EL, & Burns A. (2013). Planning a personalised future with dementia: 'the misleading simplicity of advance directives'. *Palliat Med*, 27(5), 387-388. doi:10.1177/0269216313484426

Snellen H. (1862). Probebuchstaben zur Bestimmung der Sehschärfe, Utrecht.

Tatemichi TK, Desmond DW, Stern Y, Paik M, Sano M, & Bagiella E. (1994). Cognitive impairment after stroke: frequency, patterns, and relationship to functional abilities. *J Neurol Neurosurg Psychiatry*, 57(2), 202-207.

Ventry I & Weinstein B. (1983). Identification of elderly people with hearing problems". American Speech-Language-Hearing Association. 25: 37-42.

Vision Australia. (n.d.). *Guiding a person who is blind or has low vision*. Retrieved from www.visionaustralia.org/living-with-low-vision/learning-to-live-independently/in-the-community/useful-tips-and-mobility-fact-sheets/guiding-a-person-who-is-blind-or-has-low-vision. Accessed July 14, 2016

Walling AD, & Dickson GM. (2012). Hearing loss in older adults. *Am Fam Physician*, 85(12), 1150-1156.

Wilson R, Rochon E, Mihailidis A, & Leonard C. (2012). Examining success of communication strategies used by formal caregivers assisting individuals with Alzheimer's disease during an activity of daily living. *J Speech Lang Hear Res*, 55(2), 328-341. doi:10.1044/1092-4388(2011/10-0206)

Zelaya C, Lucas J, & Hoffman H. (2015). *Self-reported hearing trouble in adults aged 18 and over: United States, 2014*. NCHS data brief 214. Hyattsville, MD: National Center for Health Statistics.