

## Resources and References Handout

### **Transitions in Care: Acute Care and the Older Adult**

#### Hyperlinks

[www.bu.edu/fammed/projectred/index.html](http://www.bu.edu/fammed/projectred/index.html) Accessed December 20, 2016

[www.caretransitions.org](http://www.caretransitions.org) Accessed December 20, 2016

[www.eldercare.gov/Eldercare.NET/Public/About/Aging\\_Network/Index.aspx](http://www.eldercare.gov/Eldercare.NET/Public/About/Aging_Network/Index.aspx)

Accessed December 20, 2016

[www.hospitalmedicine.org/Web/Quality\\_Innovation/Mentored\\_Implementation/Project\\_BOOST/Project\\_BOOST.aspx](http://www.hospitalmedicine.org/Web/Quality_Innovation/Mentored_Implementation/Project_BOOST/Project_BOOST.aspx) Accessed December 20, 2016

[www.transitionalcare.info](http://www.transitionalcare.info) Accessed December 20, 2016

#### References

Altfeld SJ, Shier GE, Rooney M, Johnson TJ, Golden RL, Karavolos K, Avery E, Nandi V, & Perry AJ. (2013). Effects of an enhanced discharge planning intervention for hospitalized older adults: a randomized trial. *Gerontologist*, 53(3), 430-440. doi:10.1093/geront/gns109

American Geriatrics Society. (2003). *Definitions of transitional care*. Retrieved from <http://www.nacns.org/docs/TC-definitions.pdf>. Accessed July 6, 2016

Boling, P. A. (2009). Care transitions and home health care. *Clinics in geriatric medicine*, 25(1), 135-148.

Calev H, Spampinato LM, Press VG, Meltzer DO, & Arora VM. (2015). Prevalence of impaired memory in hospitalized adults and associations with in-hospital sleep loss. *J Hosp Med*, 10(7), 439-445. doi:10.1002/jhm.2364

Center for Medicare & Medicaid Service. (2016). *Readmissions reduction program (HRRP)*. Retrieved from <https://www.cms.gov/medicare/medicare-fee-for-service-payment/acuteinpatientpps/readmissions-reduction-program.html>. Accessed November 29, 2016

Coleman EA, & Berenson RA. (2004). Lost in transition: challenges and opportunities for improving the quality of transitional care. *Ann Intern Med*, 141(7), 533-536.

Coleman EA. (2003). Falling through the cracks: Challenges and opportunities for improving transitional care for persons with continuous complex care needs. *J Am Geriatr Soc*, 2003; 51(4): 549-555.

Hansen LO, Greenwald JL, Budnitz T, Howell E, Halasyamani L, Maynard G, Vidyarthi A, Coleman EA, & Williams MV. (2013). Project BOOST: effectiveness of a multihospital effort to reduce rehospitalization. *J Hosp Med*, 8(8), 421-427. doi:10.1002/jhm.2054

Jencks SF, Williams MV, & Coleman EA. (2009). Rehospitalizations among patients in the Medicare fee-for-service program. *N Engl J Med*, 360(14), 1418–28. doi:10.1056/NEJMsa0803563.

Kansagara D, Englander H, Salanitro A, Kagen D, Theobald C, Freeman M, & Kripalani S. (2011). Risk prediction models for hospital readmission: a systematic review. *JAMA*, 306(15), 1688-1698. doi:10.1001/jama.2011.1515

Lindquist LA, Go L, Fleisher J, Jain N, & Baker D. (2011). Improvements in cognition following hospital discharge of community-dwelling seniors. *J Gen Intern Med*, 26(7), 765–770.

MedPac. (2007). *Report to the Congress: Promoting greater efficiency in Medicare*. Retrieved from: [http://www.medpac.gov/documents/reports/Jun07\\_Ch05.pdf](http://www.medpac.gov/documents/reports/Jun07_Ch05.pdf). Accessed August 24, 2016.

Morrow-Howell N, Proctor EK, & Mui AC. 1991. Adequacy of Discharge Plans for Elderly Patients. *Soc Work Res Abstracts*, 27(1): 6–13.

Naylor MD, Brooten D, Campbell R, Jacobsen BS, Mezey MD, Pauly MV, & Schwartz JS. (1999). Comprehensive discharge planning and home follow-up of hospitalized elders: a randomized clinical trial. *JAMA*, 281(7), 613-620.

Naylor MD, Brooten DA, Campbell RL, Maislin G, McCauley KM, & Schwartz JS. (2004). Transitional care of older adults hospitalized with heart

failure: a randomized, controlled trial. *J Am Geriatr Soc*, 52(5), 675-684.  
doi:10.1111/j.1532-5415.2004.52202.x

Parry C, Coleman EA, Smith JD, Frank J, & Kramer AM. (2003). The care transitions intervention: a patient-centered approach to ensuring effective transfers between sites of geriatric care. *Home Health Care Serv Q*, 22(3), 1-17.  
doi:10.1300/J027v22n03\_01

Proctor EK, Morrow-Howell N, Li H, & Dore P. (2000). Adequacy of home care and hospital readmission for elderly congestive heart failure patients. *Health Soc Work*, 25(2), 87-96.

Rosenberg W, Altfeld S, Pavle K, Shure I. (2011, March). *Bridging hospital to home: The Bridge Model, an innovative social work approach to transitional care*. American Society on Aging, Aging in America Conference. Washington, DC.

Sato M, Shaffer T, Arbaje AI, & Zuckerman IH. (2011). Residential and health care transition patterns among older Medicare beneficiaries over time. *Gerontologist*, 51(2), 170-178. doi:10.1093/geront/gnq105

Snow V, Beck D, Budnitz T, Miller DC, Potter J, Wears RL, Weiss KB, & Williams MV. (2009). Transitions of care consensus policy statement American College of Physicians-Society of General Internal Medicine-Society of Hospital Medicine-American Geriatrics Society-American College of Emergency Physicians-Society of Academic Emergency Medicine. *J Gen Intern Med*, 24(8), 971-976. doi:10.1007/s11606-009-0969-x

U.S. Department of Health and Human Services. (2014). *New HHS data shows major strides made in patient safety, leading to improved care and savings* [Press release]. Retrieved from <http://innovation.cms.gov/Files/reports/patient-safety-results.pdf>. Accessed July 6, 2016

Weiner SJ, Schwartz A, Weaver F, Goldberg J, Yudkowsky R, Sharma G, Binns-Calvey A, Preyss B, Schapira MM, Persell SD, Jacobs E, & Abrams RI. (2010). Contextual errors and failures in individualizing patient care: a multicenter study. *Ann Intern Med*, 153(2), 69-75. doi:10.7326/0003-4819-153-2-201007200-00002